

From Genetic investigations of a complex disorder: Neural tube defects by Evadnie Rampersaud, Duke University, ProQuest, 2005

Link at google books:

[http://books.google.com/books?id=352hJj\\_MrjYC&pg=PA22&lpg=PA22&dq=%22duke+university%22+%22folic+acid+supplementation+before+and%22&source=bl&ots=uFAVM0\\_OOS&sig=1MfqWcklSHUsBrk9Ab1OA9qceBw&hl=en&ei=WQy7TrbSJ8SKgweOpdTICA&sa=X&oi=book\\_result&ct=result&resnum=8&ved=0CFkQ6AEwBw#v=onepage&q=milunsky&f=false](http://books.google.com/books?id=352hJj_MrjYC&pg=PA22&lpg=PA22&dq=%22duke+university%22+%22folic+acid+supplementation+before+and%22&source=bl&ots=uFAVM0_OOS&sig=1MfqWcklSHUsBrk9Ab1OA9qceBw&hl=en&ei=WQy7TrbSJ8SKgweOpdTICA&sa=X&oi=book_result&ct=result&resnum=8&ved=0CFkQ6AEwBw#v=onepage&q=milunsky&f=false)

p. 17:

Three cohort studies conducted in the United States found significantly increased risk of NTDs in diabetic compared to nondiabetic women (Milunsky et al. 1991; Zacharias et al. 1990) ...